


[HIN-14-009] embedded sample check




**Songkyo Lee*, Lamia Benhabib,
Yongsun Kim, Kisoo Lee
Mihee Jo, Hyunchul Kim**



**working meeting
9th January 2015**

single muon kinematic ranges



■ red :

- actual single μ acceptance cut used in the analysis
- geometrical acceptance of detector $> 10\%$
- same with BPH group

$$|\eta^\mu| < 1.3 \rightarrow p_T^\mu > 3.3 \text{ GeV/c}$$

$$1.3 < |\eta^\mu| < 2.2 \rightarrow p_T^\mu > 2.9 \text{ GeV/c}$$

$$2.2 < |\eta^\mu| < 2.4 \rightarrow p_T^\mu > 0.8 \text{ GeV/c}$$

■ Green :

- filter $p > 2.5 \text{ GeV/c}$ **before** the boost
- previous wrong official sample

■ Blue :

- filter $p > 2.5 \text{ GeV/c}$ **after** the boost
- official pythia sample requested
- private pythia sample

■ Violet :

- filter $p > 1.7 \text{ GeV/c}$ **before** the boost
- 2 times larger events needed compared to blue
- private HIJING embedded sample



official MC status


- Our pull request has been made
(to add the customization to flip the sequence of the boost and the filter)
- It will be included in the next CMSSW 53X release.
- Mihee – validation in CMSSW_5_3_X_2015-01-04-0200
 - * previous : --beamspot Realistic8TeVCollisionPPbBoost
 - * now : --beamspot Realistic5TeVCollisionPPbBoost

p_T distributions


- e.g.) prompt MC with 1st run direction

other samples on back-up


- GEN dimuons




- RECO dimuons







- GEN single muons



- RECO single muons



- Ratio = pythia / embedded







- Overall, pure pythia and embedded samples agree well

Efficiency values

- e.g.) prompt MC with 1st run direction

- Most forward/backward bins
where we go down to $p_T \sim 0$ GeV/C.





other samples &
all rapidity ranges
on back-up



- Efficiency values are also similar
- Difference will be also reflected in TNP.

Efficiency values

- e.g.) non-prompt MC with 1st run direction



- Different from prompt J/psi



summary & plan

① Monte Carlo

- For official samples, we will stick to pure pythia.
 - 1) No big difference between pythia sample and embedded one.
 - 2) For signal extraction, we need pure pythia samples for ctau template.

② finalize results and systematic uncertainties

③ Update AN and contact to ARC



dimuons GEN

Back up







pythia vs embedded

- p_T distributions





dimuons GEN

zVtx Weight & cut done

- pT distributions after acceptance cut applied




- pythia / embedded













dimuons RECO













single muons GEN





single muons RECO





pythia vs embedded


- Efficiency values

fitting for embedded sample?


- e.g.) pT 0–3 GeV/c bin

- Even in the lowest pT bin, backgrounds in embedded sample are similar with those in pythia than those in actual data.


• Data




• pythia



• embedded









- signal – gaussian
- background – 1st order polynomial
- Almost no background
→ We can use counting method ?











Prompt Pbp









Prompt Pbp











Prompt Pbp











Prompt pPb









Prompt pPb









Prompt pPb











Non-prompt Pbp









Non-prompt PbP









Non-prompt Pbp











Non-prompt pPb





Non-prompt pPb



Non-prompt pPb

