


---

# BeamTest in RCNP

Hyunha shim, Benard Mulilo, Jong-won Lee

# RCNP Experiment environment



## - Beam

Neutron flux :  $4 \cdot 10^9$  n/sr/ $\mu\text{C}$

Beam chopper: 1/9

Beam current : 10 nA

## - Detector

1<sup>st</sup> ST : 2 (10cm\*100cm\*10cm)

2<sup>nd</sup> ST : 4 (200cm\*10cm\*10cm )

3<sup>rd</sup> ST : 4 (10cm\*10cm\*20cm )

## -Target

Li Target : 2cm Diameter , 1cm thick

distance between target and detector : 15m

gap between stations : 60 cm



# Detector setting structure

Scintillator : 11 개



PMT : 18 개

- Detector Size


1<sup>st</sup> Station : 2 (10cm\*100cm\*10cm)

2<sup>nd</sup> Station : 4 (200cm\*10cm\*10cm)

3<sup>rd</sup> Station : 4 (10cm\*10cm\*20cm)




# Time difference distribution of two PMTs




$$\text{Hit position} = (T_{\text{left}} - T_{\text{right}}) v_s / 2$$

$$\text{Hit time} = ((T_{\text{left}} + T_{\text{right}}) - L_{\text{det}}/v_s)/2$$


$$\text{X axis : } T_{\text{diff}} = T_{\text{left}} - T_{\text{right}}$$



# Energy calibration




# Energy calibration



# Arrival time distribution on Det1

Xaxis : Time(detector) – Time(trigger)




# $E_{\text{adc}}$ VS $E_{\text{tof}}$

X-axis :  $E_{\text{tof}} = 939.6 * t * c / \sqrt{t^2 c^2 - L^2} - 939.6$

Detector threshold : 100 cnt (10MeV)

Y-axis : electron-equivalent energy


Time Offset : 374 ns (424 ns – 50 ns)





# Time difference vs ADC signal height(ADC peak)

Show significant deltaT variation in the region of < 500 channel

Y-projection -> Get fitting-function ( for time-walk correction)




Y-axis:  $T_{60\%adc\ peak} - T_{th}$






# $E_{\text{adc}}$ vs $E_{\text{tof}}$ after time-walk Calibration





# TOF energy spectrum




# Summary

- We performed beam Test with 3 station structure(11 detectors)  
392 MeV (50 Run), 65 MeV(50 Run)
- After slewing correction, energy resolution shows  $\sim 3.6\%$  at the  
15 m from target


---


# Back up


# Time difference between two PMT









# TOF energy spectrum














# Energy calibration

Before calibration

After calibration



correction



correction

